International Journal of Scientific Research & Engineering Trends
Volume 7, Issue 2, March-April-2021, ISSN (Online): 2395-566X

Study of On-Line Monitoring Technology on the Transmission Line

M.Tech.Scholar Manmay Banerjee, Asst. Prof.Sachin Kumar
Department Of Electrical Engineering
Chandigarh University, Mohali, India
20mel1005@Cuchd.In, Sachin.Ee@Cumail.In

***Abstract*- This paper presents a ground-breaking thought of overhead T/L web based checking. Mainly premise of this paper is to secure the tons of exploration con-ducted by generation and distribution engineers & another serious T/L secure activity observing framework is working with effectively. Moreover, we are trying to utilize fake impartial organization for analysis models, to demonstrate the plausibility and adequacy for the serious T/L secure activity framework.**

***Keywords*- OHE, T/L line, Artificial neural Network test, Sensor monitoring, Remote terminal unit monitoring, Wireless Monitoring**

I. INTRODUCTION

In ongoing a long time the ameliorate and reveal the strategies of 1980s,China force industry has quickly grown, after the force lattice development slacked truly be-rear. Because of the absence of bandwidth, transmission issues recurrence happened successively. They are exceptionally lopsided between power lattices and force source advancement. To take care of the issue of intensity gracefully in the main portion of 21st century, hydropower, warm force and efficient power energy must be created as substitute fuel sources.

To keep up practical financial and social turn of events, it is important that India develops the public energy for transmitting power by T/L force network. Power framework improvement and force for marketing &keen lattice start-up, engineers give increasingly more consideration to control matrix safe activity and force flexibly dependability. The need for creating power transmission line internet checking and flaw conclusion innovation to advance development transmission activity (ATO) innovation has arisen.

II.LITERATURE REVIEW

On the overhead transmission line, there are many advantages as well as disadvantages. We know that DC overhead transmission is more secure than AC transmission line. Many times corona have seen on the overhead transmission line. In case of DC corona loss = 1/3 AC corona loss.Active power too much has lost in form corona power loss. So it's very necessary to take action for more secure. Hence, on-line monitoring technology is very much required to solve over this.

III. IMPROVEMENT OF INTELLIGENT TRANSMISSION LINES

For network security, dependability, monetary proficiency and ecological kind disposition, quality of power and improvement of power system etc,this is too much important to assemble a keen lattice. Mainly T/L system is just foundation of intensity matrix, ATO innovation of clever framework does the examination on the transmission line about web based checking, appraisal finding and dynamic to accomplish of T/L condition observing, observing, evaluation by insight, & to accelerate domestic support as well as static support of the T/L & cycle of line the board &savvy debacle avoidance.

IV. ON- LINE OR WIRELESS MONITORING SYSTEM OF TRANSMISSION LINE

T/L is a significant piece for the network. Following quite a while of examination, power engineers built up another sort of elevated level transmission line safe activity observing system. This framework remembers climate checking for limit increment of transmission line, safe activity, protector, icing, and so on Simultaneously, the distant video observing gadget is presented. The framework embraces progressed sensors, through fast correspondence channels, considering online checking for the T/L .The framework may likewise control secure activity condition of T/Lon genuine spent. For guarantee secure activity of the T/L, it is fundamental that a wide range of tests of sensors are introduced on location of T/L straightforwardly, toacquire for checking signals.

© 2021 IJSRET

International Journal of Scientific Research & Engineering Trends
Volume 7, Issue 2, March-April-2021, ISSN (Online): 2395-566X



Fig. 1 Diagram of sensors are installed [3].

The sensor highlights are essential for web based observing. This implies that the T/L makes thorough observing temperature of the wire, current density &ecological criteria just like as (daylight, temperature and so on) The internet checking hardware fundamentally holds the sensors which is very much inferred capability which is estimating temperature ,T/F of estimating the sensor of observing ecological substitute &checking cover contamination arc , ice power tech, far off audio and video gadget, and so in the figure is the climate station estimating the working states of T/L (stickiness, counting temperature, daylight) .

V. DYNAMIC CAPACITY OF TRANSMISSION LINE & SECURE ONLINE MONITORING

In 1996 a continuous temperature dynamic line security limit checking framework, which follows real climate conditions and gear. The framework incorporates a PC setup a best model for technical world. Warm module comprises of T/F, links, OHE, seclusion switch & others equipment. Model considers constant climate conditions, hardware temperature boundaries, electrical burden and other related components. This checking gear incorporates a littleobservatory, temperature sensors &digitalised information module.[1-4] At the present the aluminium cored steel reinforced ACSR &amalgam wire embraced broadly in india.

Under control temperature typical activity, 2 components are thought of, in particular warming to strength of mechanical &interfacing with online wire.. As indicated by plan runs, the line limit of temperature is83 °C. It's significant that also bandwidth is recured & guarantee structure line monitoring & secure activity. It realize that mechanical strength is practically perpetual in line temperature 65 °C~93 °C. As the line temperature ascends from 65°C to 82 °C or 93 °C, the line bandwidth may be expanded. At instance, WL/5FA-345/44 conductor (surrounding temp. 42 °C; voltage on 440 KV; abstract range is 405n; wind speed is 1.7N/S~34M/S; daylight 110 W /m2; EC0.89). Clearly bandwidth can be completely utilized when temperature of wire is raised reasonably & the link's mechanical strength is practically unaltered. In this manner, to cure better conductor material reasonable temp also offer full play to the T/L bandwidth &it might have financial environment advantages, on the insurance of the T/L security & limit increment. Considering, [3-6]relating sensor for various modes just like temperature, moisture sensors&observing hardware are to be introduced on T/L & will incredibly improve the T/L protected activity.

VI. FLASH-OVER MONITORING OF TRANSMISSION LINE

Mainly protectors utilized to help the find out the missing point of the wire. The protector always have both of great electrical ensures and holding a good mechanical strength, which is significant that nature of separator is more adequate for secure activity. In there are 2 sorts cover shortcomings: Breakdown & flashover. Most encasing flash-over happen by a superficial level&consume mode are noticeable. Typically, it doesn't impact in the form of loss of protection execution. A main breakdown happens are of inner process.

A separatorreleases between iron pin clay & iron cap.A follow can't be seen , yet protection may be lost & it very well might be totally devastated because of arcing. The anticipation techniques and measures are subsequently decided timely. The estimation of spillage current is generally advantageous, and is particularly reasonable for internet observing. In the separator spillage current internet checking, the sensor of current is mainly introduced on the cover, it may continuous screen leak. The significant writing guesses alert by current which is 36 mA . The sign that sensor measures is shipped off checking focus through GPRS/CDMA/3G organization. In light of data of spillage current, master framework makes evaluation of the separator contamination degree, and sends the admonition notice of encasing flashover.

VII. MONITORING ON TRANSMISSION LINES ICING

With the improvement of sensor innovation and correspondence innovation, an assortment of sensing devices are introduced on the T/L; to help by an assignment to send for observing sign to the checking focus through remote correspondence organization. Transmission line internet checking may be isolated into the form of the image technique, model of mechanical strategy, &counterfeit ANN organization method. The

© 2021 IJSRET

icing of T/L catastrophe can cause an amazingly awful impact on force gracefully, bringing about huge financial misfortunes. Inferable from the intricacy of provincial dispersion of transmission line, awful climate and troublesome upkeep, We have aimed to use the icing of T/L web based checking& fustier admonition systems.[3]His technique is straightforward, the icing circumstance can be noticed straightforwardly under the unforgiving atmosphere and climate. Since the camera can just notice conditions close to the icing, the collectable data is restricted. Under the states of thicker day off, camera might be snow-shrouded, and the entire checking results are influenced.

Right now, the gauging technique is utilized most broadly in force framework. Specifically, the strain sensor is introduced in the transmission lines to supplant the ball type ring. To quantify the wire nature of the entire vertical range, and short the wire quality through the cycle of disposal, to acquire the icing quality at last, and afterward changed over to the equal icing thickness with 0.6 g/cm. The transmission line video reconnaissance framework, which comprises of the elite-camera,low- power layer &uncommon sensing devices ,may screen the T/Licing caused by the assistance of CDMA or GPRS video static pictures.[5] In expansion, the T/L plan is quietly better proposed properly on substantial location. Because of the recent dissolving ice innovation is to be executed, it dangers& misfortunes are decreased.

VIII. CONTROL OPERATION ON TRANSMISSION LINES

India's fast development in force transmission line makes examination line outstanding burden more mind boggling. As of now, manual investigation is as yet the principle strategy, yet it is totally not reasonable for the necessities of savvy lattice improvement.

IX. REMOTE AREA UNIT VIDEO MONITORING

T/L distant audio-video observing framework is made through establishment of pinnacle various high resolution cameras . Distant video observation is an open framework which mainly embrace server way, structure of far off video line incorporates picture checking terminal, remote correspondence& checking focus point . Main vital innovation inside the framework incorporate microcontroller-chip , [2] sensors for pictures , picture obtaining, advanced picture pressure, distant transmission convention, etc. The microcontroller is the centre gadget to finish the initialisation of video handling chip&picture pressure coding chip.
It gets control order for far off checking gates &cyclesconnected issues as indicated by the command. On site observing sign is gathered through the video picture com-squeezing and coding measure, at that point the sign is shipped off observing focus on 3G/GPRS. The distant audio-video is observing framework understands the activity of the T/L & the general climate for each climate sensor. It is significant that advanced far off video checking framework tackles the bound together control for transmission line. The observing focus ought to endeavour to fabricate a brought together correspondences stage dependent on IEC61760 standard, and build up a brought together and open distant video checking combination stage. The fitting & start technique is more effective in online T/L bound together administration for checking information,offers solid help and overhaul of shrewd lattice advancement.

X. COMMUNICATION WITH REMOTE TERMINAL UNIT

These days, more secure of high voltage T/L activity framework indulges the sensor that is introduced in T/L's different module or parts , for getting the observing sign. Sign acknowledges distant information and picture transmission dependent on remote correspondence network GPRS/CDMA/3G. So, the framework should. Comprehend T/L activity criteria &line dependability. At the time of the activity, the support of the transmission line in hardware may be updated in force area, no correspondence area is needed and the security ensured also & afterward power designers may control the T/L activity on any time.

Using GPRS remote correspondence innovation, we can make sure about far off transmission line and gear of information signal social affair and the data transmission of control checking. Although GPRS innovation, we are trying to incorporate of transmission line secure activity internet observing innovation, consolidate man-made reasoning shortcoming finding procedure and set up a data checking stage. It can empower ongoing observing on the T/L. Mainly protected activity layer of transmission line & clever administration capacities will along these lines will be expanded finely. As short utilization of remote correspondence innovation can a significant advance towards improvement of savvy network or smart grid.

XI. ARTIFICIAL NEURAL NETWORK ON TRANSMISSION LINES

The artificial neural network is utilized to screen the T/L's protected action terms.The checking &focal point of T/L web based checking framework get the data by using3G/CDMA, this organisation investigations & evaluates T/Lsecure activity&makes conclusion, outgoing cautioning notices of T/L blames that may not beviewed. The counterfeit N organisation is turning into an agreeable apparatus for the transmission line on-line checking. It comprises of info layer, shrouded & yield line. The

© 2021 IJSRET

information signal is got by the input layer from the outer layer. Hence, This test is prepared the quantity of concealed layer hubs upto 257&afterward, It is mainly design for setting up yield hub for actuation capacity of the shrouded layer hub chip away at there are four hubs chose to yield coating of TLAMNN which reacts for working T/L familiar circumstance. At last, the yield hubs give the yield signal. By the mistake stern-spreadcalculation is utilized for TLAMNN test preparing. On the T/L; web based observing, helping by conceivable flaw &alert sign too view on the information qualities information for preparing Artificial Neural Network test.

XII.CONCLUSION

To sum up, power transmission line internet checking framework examination, improvement and application is another subject in force framework. It embraces progressed sensor innovation, for example, wire dynamic limit increment and safe activity, cover flashover, wire icing, distant video checking, and so on Further practice shows that the transmission lines moving, against burglary caution, winged animal incited harm, and so on, on-line checking is exceptionally viable methods for transmission lines observing. Seeing from scientists' point of view, it has incredible potential. Web based checking framework can make cautioning warnings for transmission line's initial concealed deficiencies. It creates full reach checking for T/L every day for secure activity and T/Ls mechanised watch. Lately, with top to bottom investigation of the brilliant matrix, to advance force framework mechanisation, to ensure transmission line security, soundness, unwavering quality, must diminish the mishap rate. Accordingly, we ought to present cutting edge innovation and advance transmission line internet checking innovation effectively, before the overhead line plan and introducing. Simultaneously, power network activity the executives capacity and social financial advantages are expanded.

REFERENCES

[1] Saric, T., et al., Use of Neural Networks in Prediction and Simulation of Steel Surface Roughness, International Journal of Simulation Modelling Engineering Journal, 36 (2010), 3, pp. 775-781.
[2] Li, R., Transmission Line Lightning Shielding Lightning Research, China Southern Power Grid Technology Journal, 1 (2009), 53, pp. 127-139
[3] Saric, T., et al., Use of Neural Networks in Prediction and Simulation of Steel Surface Roughness, International Journal of Simulation Modelling, 12 (2013), 4, pp. 225-236 .
[4] Huang, X., et al., Analysis on Key Influence Factor of Transmission Line Icing, High Voltage Engi-neeringJorunal, 37 (2011), 2, pp. 12-56.
[5] Mao, Y., Guan, Z., BP Artificial Neural Network-Based Insulator Leakage Current Forecast, Journal of Electrical Engineering, 27 (2007), 27, pp. 5-11.
[6] Yang, L., et al., Relationships Among Transmission Line Icing, Conductor Temperature and Local Meteorology Using Grey Relational Analysis, High Voltage Engineering Journal, 36 (2010), 3, pp. 759-776

© 2021 IJSRET