

Energy Efficient IoT Based Smart Home Automation Unit

Venkata Ramana N, E Apoorva

Department of Electronics and Communication Engineering,
Jawaharlal Nehru Technological University,
Hyderabad, India

nagunoorivenkataramanachary@gmail.com, Edlaapoorva25@gmail.com

Abstract- Advancement in IoT primarily based totally utility has end up the state-of-the artwork era for the various researchers because of the presence of Internet everywhere. To make the utility extra easy access to users, working with internet, android related technology has won their significance in current trend of technology. In this paper, IoT based low power consumption automation device of home is proposed which could monitor and command the domestic equipment from anywhere through internet. For this device, Internet connectivity module is connected to the primary power supply device which may be accessed via web. Static IP inclusion adds wireless operation to it. Home automation is primarily based totally on multi-modal utility that may be operated with the usage of voice reputation command of the person with the usage of the Google Assistant or via an internet-based utility. Thus, essential goal of this equipment is to make our domestic automation gadget extra stable and sensible.

Keywords- Home Automation, Relay, Node MCU (ESP8266), IFTTT, Adafruit, Internet of Things (IoT), Google Assistant, Voice Control, Smartphone.

I. INTRODUCTION

Human-gadget interaction (HMI) has end up, the extra sensible in daily existence because of the development withinside the era [1]– [3]. Today, HMI studies has moved one step beforehand and switched onto the Internet, which became formerly used for communicate and now used for matters, i.e., IoT (Internet of Things) [4]– [6]. The purpose of this utility is to attach any matters via the Internet that may be reachable from anywhere.

IoT utility is not confined to 1 specific field. It has proven the extensive contribution from small scale programs to the big scale programs inclusive of, Ecommerce [7], Coal Mine [8], Wearable tool [9], Smart Grid [10], Laboratory Monitoring [11], Agriculture [12] and many different domains [13]– [16].

Though, we've acquired exquisite development in the era, however, nonetheless energy intake is one of the big problems everywhere in the earth. As consistent with report, the Information and Communication Technologies (ICT) on my own makes use of 04.70% of the global's energy, which may also be probable to be accelerated to 10% as consistent with report [17] – [19].

India, proportion approximately the 17% of the arena populace has confined strength assets and proportion more or less 0.6%, 0.4% and 7%, for international gas, oil and coal reserves respectively [20]. However, in India, the energy intake because of ICT utilization has accelerated

from 24TWh to 31TWh withinside the remaining five years (for the duration 2009-2014). This has resulted in energy intake of approximately 6.5% in 2015 [19].

Thus, saving of the energy is the principal concern that is the simple purpose of this project. To shop the energy intake, we've proposed the clever, strength green domestic automation gadget the usage of IoT. Thus, purpose of these studies to shop the energy intake (lowering the energy bills) and on the identical time offers the protection and protection of the domestic equipment.

II. SMART HOME AUTOMATION SYSTEM

As call for energy is growing these days, therefore, automated efficient home is the imminent vicinity of studies to offer the far off get right of entry to for controlling the house equipment the usage of IoT [21]– [24]. IoT primarily based totally utility has additionally supplied the increase for vintage elderly humans and the man or woman having some kind of disability [9], [25]. This permits the person to manipulate the domestic automation tool inclusive of fan, bulb etc., without even making any bodily connection.

Research carried out on domestic automation gadget is said in [21], [23], [24], [26]– [28]. Most of the previous gadget primarily based totally on those strategies is both primarily based totally on DTMF or Bluetooth gadget [9],

[21], [26], [27], [29]– [31]. The simple trouble with DTMF primarily based totally domestic automation require committed PSTN channel for communicate among essential deliver gadgets and controlling tool. On the alternative hand, Bluetooth is beneficial for quick variety communicate that calls for the running equipment of their variety.

Home automation, the usage of MQTT is offered in [28] for sending/receiving information from the sensor. For this Raspberry pi is used as a gateway for getting access to the information from the sensor which can be used to validate the temperature and humidity of the room. Another domestic automation gadget is offered in [23] which can be primarily based totally on Raspberry pi and person can manage their domestic equipment the usage of the internet-primarily based totally interface. In [26], domestic automation the usage of cell is said wherein gadget is designed the usage of ZigBee.

IoT has supplied the programs to show non-intelligent tool into intelligent tool, which permit customers to get right of entry to those gadgets via the Internet. It converts the house into clever domestic home and affords an improved approach of controlling the domestic equipment. Also, the safety may be delivered with the assist of hooked up digital digicam withinside the domestic home, which may be traced via the Internet. Thus, person can screen their domestic home and can flip ON/OFF their home equipment for you to genuinely going to shop the energy and electric powered bills.

Other functions that may be blanketed withinside the clever domestic for protection motive is to consist of the sensors and cameras that can save you the intruder from moving into your domestic home. Also, making the gadget extra sensible, which could switch on the light and fan of the room as quickly because it detects the presence of the man or woman.




Fig 1. Smart domestic automation gadget structure.

With this motivation, we made IoT primarily based totally domestic automation gadget which makes use of voice in addition to internet-primarily based totally carrier for controlling the house equipment. Also, for protection motive, the person-outline command is set which allows functioning the gadget.

III. SYSTEM DESIGN AND IMPLEMENTATION

Speech is one of the maximum essential inputs used for man machine interaction [32]. Therefore, to make clever domestic home extra person friendly, Google help alongside internet primarily based totally utility may be used to manipulate the house gadget.

The benefit of multimodal is that withinside the presence of the noisy historical past surrounding the overall performance of the Google help degrades. Hence, in such state of affairs internet primarily based totally utility may be useful in controlling the equipment of the gadget. Thus, the proposed version is designed to offer higher flexibility and making the gadget extra robust. Figure 1 indicates the overall structure of the clever domestic automation gadget.

As proven withinside the Figure 1 the clever domestic may be carried out with essential controller unit (Main switching of the house circuit) this is linked with the 24-hour to be had Wi-Fi community. To ensure, that the Wi-Fi connection do not flip off, the principal controller is programmed to establish automated reference to the to be had community and linked to the car energy backup.

Further, the sub-gadgets are linked with the principal controller in order that the gadgets which aren't clever (right here in this situation we're relating to the vintage domestic equipment gadget) may be became the clever equipment. Thus, customers can get right of entry to and managed their clever domestic the usage of Google assistant and internet primarily based totally carrier the usage of an IoT primarily based totally utility that makes use of Adafruit and IFTTT to hold the communicate link.

1. System Requirement:

- NodeMcu (ESP8266).
- IFTTT.
- Adafruit.
- Arduino Software (IDE).

NodeMcu (ESP8266) is an open supply firmware that affords the ability to construct the IoT primarily based totally utility [33]. NodeMcu has won its recognition because of its low cost and Wi-Fi enabled functions. It additionally affords the Nodejs that require much less computation time to carry out the undertaking and use Lua script. Thus, making the tool to function a good deal quicker and making it as a primary preference for IoT programs.

IFTTT stands for “If This Then That”, is an interface which offer the internet primarily based totally carrier wherein tool is linked with the cell utility [34]. Thus, making it a good deal simpler for the tool to paintings primarily based totally at the cell utility the usage of the conditional statements.

Adafruit is a library that helps the MQTT (Message Queue Telemetry Transport) [28], [35]. It acts as an MQTT broker. MQTT is primarily based totally on protocol carrier that offers the sending and receiving of the feed information. The gain of MQTT is that it affords a quicker fee of transmission of the information and requires much less information byte for the connectivity. It calls for eighty bytes for setting up the relationship among the tool to the server and 20 bytes from server to tool. Arduino IDE software program is used to collect the code [36].

2. Working Models:

The running of the clever domestic automation is proven in Figure 2.




Fig 2. System waft at the clever domestic automation gadget the usage of Google assistant.




Fig 3. Internal structure of the controller unit.



Fig 4. IoT based home automation developed using Adafruit.




Fig 5. Prototype of control unit with the home equipment.

As proven, preliminary requirement is the Internet connectivity to get right of entry to your clever domestic home appliances. One can get right of entry to their clever domestic both via the internet primarily based totally carrier or via Google help.

Initially, Google assistant is used for controlling/tracking our clever domestic and in case of noisy historical past domestic automation may be linked via internet primarily based totally carrier. For protection motive we've supplied the person get right of entry to code as a way to be

requested via way of means of the Google assistant to confirm for you to save you unauthorized clever domestic get right of entry to.

After a success connection, customers may be capable of get right of entry to their clever domestic equipment the usage of an IFTTT statement command. It may be accessed via the Adafruit for growing the connectivity among the Google assistant and the NodeMcu that is the principle manage unit of the clever domestic automation. The domestic equipment is attached to the essential controller unit with the units of relay. The features of those relays are to behave as an ON/OFF activate the principle manage unit.

In this paper we've proven the instance of the principle manage unit that we've designed on your clever domestic. Figure three indicates the relationship of the principal unit with the NodeMcu. For non-stop operation of the circuit, energy backup is likewise supplied with the assist of rechargeable battery. Figure four indicates the IoT domestic automation dashboard evolved on Adafruit.

Finally, with the assist of Google assistant, primarily based totally at the person command the house equipment may be became ON/OFF with the assist of the designed gadget as proven in Figure 5. Here, we've proven the instance of turning the 3 bulbs. However, any domestic equipment may be linked via the proposed manage unit.

IV. CONCLUSION AND FUTURE WORK

In this paper, we've offered the step-via way of means of-step manner of clever domestic automation controller unit. With the assist of the layout manage unit, domestic equipment may be transformed right into a clever and sensible tool the usage of IoT. The running of the proposed version became experimentally proven with assist of connecting the 3 bulbs.

Proposed gadget has advantages. First, the usage of the IoT connectivity, we can screen and get right of entry to our clever domestic effortlessly from anywhere, for you to genuinely will show to be strength green. Secondly, it acts as an assisting hand for the vintage age and in a different way abled man or woman. For destiny paintings we would love to upload up extra controlling gadgets which could make our clever domestic extra sensible that may be nearly deployed withinside the real time situation.

REFERENCES

- [1] P. Damacharla, A. Y. Javaid, J. J. Gallimore and V. K. Devabhaktuni, "Common Metrics to Benchmark Human-Machine Teams (HMT): A Review," in IEEE Access, vol. 6, pp. 38637-38655, 2018.
- [2] O. Benderius, C. Berger and V. Malmsten Lundgren, "The Best Rated HumanMachine Interface Design for Autonomous Vehicles in the 2016 Grand Cooperative Driving Challenge," in IEEE Transactions on Intelligent Transportation Systems, vol. 19, no. 4, pp. 1302-1307, April 2018.
- [3] Z. Xu, R. Wang, X. Yue, T. Liu, C. Chen and S. Fang, "FaceME: Face-to-Machine Proximity Estimation Based on RSSI Difference for Mobile Industrial HumanMachine Interaction," in IEEE Transactions on Industrial Informatics, vol. 14, no. 8, pp. 3547-3558, Aug. 2018.
- [4] S. Ziegler, S. Nikoletsea, S. Krco, J. Rolim and J. Fernandes, "Internet of Things and crowd sourcing - a paradigm change for the research on the Internet of Things," 2015 IEEE 2nd World Forum on Internet of Things (WF-IoT), Milan, 2015, pp. 395-399.
- [5] J. Voas, B. Agresti and P. A. Laplante, "A Closer Look at IoT 's Things," in IT Professional, vol. 20, no. 3, pp. 11-14, May./Jun. 2018.
- [6] Q. F. Hassan, "Introduction to the Internet of Things," in Internet of Things A to Z: Technologies and Applications, IEEE, 2018.
- [7] S. Singh and N. Singh, "Internet of Things (IoT): Security challenges, business opportunities & reference architecture for E-commerce," 2015 International Conference on Green Computing and Internet of Things (ICGCIoT), Noida, 2015, pp. 1577-1581.
- [8] P. Kunkun and L. Xiangong, "Reliability Evaluation of Coal Mine Internet of Things," 2014 International Conference on Identification, Fig.3. Internal architecture of the controller unit Fig.4. IoT home automation dashboard developed on Adafruit Fig.5. Prototype model of control unit along with the home equipment Authorized licensed use Information and Knowledge in the Internet of Things, Beijing, 2014, pp. 301-302.
- [9] A. J. Jara, "Wearable Internet: Powering Personal Devices with the Internet of Things Capabilities," 2014 International Conference on Identification, Information and Knowledge in the Internet of Things, Beijing, 2014, pp. 7-7 [10] Q. Wang and Y. G. Wang, "Research on Power Internet of Things Architecture for Smart Grid Demand," 2018 2nd IEEE Conference on Energy Internet and Energy System Integration (EI2), Beijing, 2018, pp. 1-9.
- [10] T. Sun, Y. Xu, J. Li and H. Zhang, "Research on Internet of Things Middleware Technology for Laboratory Environmental Monitoring," 2018 International Conference on Virtual Reality and Intelligent Systems (ICVRIS), Changsha, 2018, pp. 544-547.
- [11] Q. F. Hassan, "Internet of Things Applications for Agriculture," in Internet of Things A to Z: Technologies and Applications, IEEE, 2018.
- [12] Y. Hsieh, "Internet of Things Pillow Detecting Sleeping Quality," 2018 1st International Cognitive Cities Conference (IC3), Okinawa, 2018, pp. 266-267.

- [13] Q. F. Hassan, "Implementing the Internet of Things for Renewable Energy," in *Internet of Things A to Z: Technologies and Applications*, IEEE, 2018.
- [14] X. Li, P. Wan, H. Zhang, M. Li and Y. Jiang, "The Application Research of Internet of Things to Oil Pipeline Leak Detection," 2018 15th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP), Chengdu, China, 2018, pp. 211-214.
- [15] F. A. Rachman, A. G. Putrada and M. Abdurrohman, "Distributed Campus Bike Sharing System Based-on Internet of Things (IoT)," 2018 6th International Conference on Information and Communication Technology (ICoICT), Bandung, 2018, pp. 333-336.
- [16] World Energy Resources, Technical Report, World Energy Council, 2016.
- [17] World Energy Outlook Executive Summary, Technical Report, International Energy Agency (IEA), 2017.
- [18] E. Gelenbe and Y. Caseau, "The impact of information technology on energy consumption and carbon emissions," *Ubiquity, Association for Computing Machinery (ACM) 2015* (June), pp. 1-15.
- [19] Draft National Energy Policy NITI Aayog, Government of India, 2017.
- [20] Y. Kung, S. Liou, G. Qiu, B. Zu, Z. Wang and G. Jong, "Home monitoring system based internet of things," 2018 IEEE International Conference on Applied System Invention (ICASI), Chiba, 2018, pp. 325-327.
- [21] Y. Sun, Y. Xia, H. Song and R. Bie, "Internet of Things Services for Small Towns," 2014 International Conference on Identification, Information and Knowledge in the Internet of Things, Beijing, 2014, pp. 92-95.
- [22] D. Pavithra and R. Balakrishnan, "IoT based monitoring and control system for home automation," *Global Conference on Communication Technologies (GCCT)*, Thuckalay, 2015, pp. 169-173.
- [23] H. V. Bhatnagar, P. Kumar, S. Rawat and T. Choudhury, "Implementation model of Wi-Fi based Smart Home System," *International Conference on Advances in Computing and Communication Engineering (ICACCE)*, Paris, 2018, pp. 23-28.
- [24] M. C. Domingo, "An overview of the Internet of Things for people with disabilities," *Journal of Network and Computer Applications*, vol. 35, Issue 2, pp. 584-596, 2012.
- [25] A. Olteanu, G. Oprina, N. Tapus and S. Zeisberg, "Enabling Mobile Devices for Home Automation Using ZigBee," 19th International Conference on Control Systems and Computer Science, Bucharest, 2013, pp. 189-195.
- [26] R. Piyare and M. Tazil, "Bluetooth based home automation system using cell phone," 2011 IEEE 15th International Symposium on Consumer Electronics (ISCE), Singapore, 2011, pp. 192-195.
- [27] Y. Upadhyay, A. Borole and D. Dileepan, "MQTT based secured home automation system," *Symposium on Colossal Data Analysis and Networking (CDAN)*, Indore, 2016, pp. 1-4.
- [28] T. Wang, Y. Li and H. Gao, "The smart home system based on TCP/IP and DTMF technology," 2008 7th World Congress on Intelligent Control and Automation, Chongqing, 2008, pp. 7686-7691.
- [29] T. M. Ladwa, S. M. Ladwa, R. S. Kaarthik, A. R. Dhara and N. Dalei, "Control of remote domestic system using DTMF," *International Conference on Instrumentation, Communication, Information Technology, and Biomedical Engineering 2009*, Bandung, 2009, pp. 1-6.
- [30] N. M. Morshed, G. M. Muid-Ur-Rahman, M. R. Karim and H. U. Zaman, "Microcontroller based home automation system using Bluetooth, GSM, Wi-Fi and DTMF," 2015 International Conference on Advances in Electrical Engineering (ICAEE), Dhaka, 2015, pp. 101-104.
- [31] P. Upadhyaya, O. Farooq and M. R. Abidi "Mel Scaled M-band Wavelet Filter Bank for Speech Recognition," *International Journal of Speech Technology*, vol. 21, no. 4, pp. 797-807, 2018.
- [32] ModeMcu, [Online]. Available: <http://www.nodemcu.com/> [34] IFTTT, [Online]. Available: <https://ifttt.com> [35] Adafruit, [Online]. Available: <https://learn.adafruit.com> [36] Arduino IDE, [Online]. Available: <https://www.arduino.cc>