

# Smart Induction Motor Protection And Control System Using Iot

Dr. Rajul Misra<sup>1</sup>, Mr. Saurabh Saxena<sup>2</sup>, Ritik Saini<sup>3</sup>, Waseem<sup>4</sup>, Shuaib Ali<sup>5</sup>

<sup>1</sup> Professor & Head Electrical Engineering Department Moradabad Institute of Technology, U.P., India

<sup>2</sup> Assistant Professor Electrical Engineering Department Moradabad Institute of Technology, U.P., India

<sup>3 4 5</sup> Electrical Engineering Department Moradabad Institute of Technology, U.P., India

**Abstract—** The Single Phase Induction Motor Protection and Control System using IoT is designed to improve the safety, reliability and performance of single phase induction motors by continuously monitoring important electrical parameters and controlling the motor through internet-based technology. Single phase induction motors are widely used in household appliances, agricultural pumps, fans, compressors and small industrial machines due to their simple construction and low cost. However, these motors are highly sensitive to abnormal operating conditions such as overload, overcurrent, overheating, voltage fluctuation, phase failure and short circuit. These faults can reduce motor efficiency, increase maintenance cost and sometimes permanently damage the motor. In traditional systems, protection devices such as fuse, MCB or overload relay provide limited safety and do not allow remote monitoring of motor condition. To overcome this problem, Internet of Things (IoT) technology is used in this project to create a smart monitoring and protection system. The proposed system uses sensors such as current sensor, voltage sensor and temperature sensor to continuously measure motor parameters. These sensors are connected to a microcontroller such as Arduino, which processes the data and compares it with predefined safe operating limits. When the motor operates under normal conditions, the system continuously sends real time data to an IoT cloud platform such as Blynk or ThingSpeak through Wi-Fi module. The user can monitor motor parameters such as current, voltage and temperature using a mobile phone, tablet or computer from any location. If any abnormal condition such as overload, overheating or high current occurs, the microcontroller automatically activates the relay module to disconnect power supply to the motor and prevent damage. The system also provides remote control facility, allowing the user to turn the motor ON or OFF using IoT mobile application. This feature is especially useful in agricultural applications such as water pumping systems where motor needs to be controlled from distant locations. The system helps in early fault detection, reduces maintenance cost and increases operational safety. Overall, the IoT based motor protection system is an efficient, low cost and reliable solution for improving motor life and reducing failure risk. The system can be further enhanced by adding features such as SMS alert, mobile notification, automatic fault diagnosis and data logging for performance analysis. This project demonstrates how IoT technology can be effectively used in electrical engineering applications to develop smart and intelligent protection systems.

**Keywords:** Single Phase Induction Motor, IoT (Internet of Things), Motor Protection System, Arduino, ESP32, Current Sensor, Voltage Sensor, Temperature Sensor, Relay Module, Overload Protection, Overcurrent Protection, Remote Monitoring, Smart Control System, Automation, Industrial Safety, Real Time Monitoring, Blynk, Electrical Protection System

## I. INTRODUCTION

Single phase induction motors are one of the most commonly used electrical machines in domestic, agricultural and small industrial applications. These motors are widely used in water pumps, fans, air compressors, washing machines, refrigerators and small machine tools because of their simple construction, low cost and easy availability of single phase supply. Despite their advantages, single phase induction motors are highly sensitive to abnormal operating conditions such as overload, overcurrent, overheating, voltage fluctuation and short circuit faults. These problems may cause insulation failure, winding

damage and reduction in motor efficiency, which ultimately decreases motor life.

In traditional motor protection systems, devices such as fuse, Miniature Circuit Breaker (MCB) and Overload Relay (OLR) are used to protect motors from electrical faults. However, these protection methods have some limitations. They cannot provide real time monitoring of motor parameters and they do not allow remote control of the motor. In many applications such as agriculture water pumping systems or industrial machines, it is difficult for users to manually check motor condition regularly. This may lead to unexpected motor failure and increased maintenance cost.

With the advancement of technology, Internet of Things (IoT) plays an important role in developing smart electrical systems. IoT allows devices to communicate with each other through internet and share real time data. By using IoT technology, motor parameters such as voltage, current and temperature can be continuously monitored using sensors. These sensors send signals to microcontroller such as Arduino, ESP32, which processes the data and sends it to cloud platform through Wi-Fi module.

The proposed system continuously monitors motor operating conditions and displays data on IoT platform such as Blynk or ThingSpeak. The user can access this data anytime and from anywhere using mobile phone or computer. If any abnormal condition such as overload or high temperature occurs, the system automatically disconnects motor supply using relay module to prevent damage. The system also provides remote control feature which allows the user to switch motor ON or OFF using mobile application.

The main purpose of this project is to develop an efficient, low cost and reliable motor protection system using IoT technology. This system improves motor safety, reduces maintenance cost and increases reliability. It also helps in early fault detection and prevents unexpected motor failure. The project demonstrates the practical application of IoT in electrical engineering and automation systems.

## 1.2 PROJECT OVERVIEW

The Single Phase Induction Motor Protection and Control System using IoT is a smart electrical system designed to monitor, protect and control the operation of a single phase induction motor using internet technology. The main purpose of this project is to improve motor safety, increase efficiency and reduce the chances of motor failure due to abnormal conditions such as overload, overcurrent, overheating and voltage fluctuation.

In this project, different sensors are used to measure important parameters of the motor. A current sensor is used to measure the motor load current, a voltage sensor is used to monitor supply voltage and a temperature sensor is used to detect overheating of the motor winding. These sensors are connected to a microcontroller such as Arduino, ESP32, which acts as the main control unit of the system.

The microcontroller continuously reads the sensor data and compares it with predefined safe values. If any parameter exceeds the safe limit, the system automatically activates the relay module to disconnect the power supply to the motor. This

helps in protecting the motor from damage and increases its lifespan.

The IoT module allows real time data transmission to cloud platform such as Blynk or ThingSpeak through WiFi connection. The user can monitor motor parameters like voltage, current and temperature on mobile phone or computer from any location. The system also provides remote control feature, allowing the user to switch the motor ON or OFF using IoT application.

This project combines electrical protection system with modern IoT technology to create a smart monitoring and control system. It is useful in domestic, agricultural and industrial applications where continuous motor operation and safety are important. The system reduces manual effort, improves reliability and provides an efficient solution for motor protection and automation.

## 1.3 THESIS OVERVIEW

This thesis presents the design and implementation of a 1 Phase Induction Motor Protection and Control System using IoT. The main aim of this project is to develop a smart system that can monitor motor parameters continuously and protect the motor from faults such as overload, overcurrent, overheating and voltage variation. The system also allows remote monitoring and control of motor using internet technology.

The thesis is organized into different chapters to clearly explain the concept, design, working and results of the project.

### Chapter 1 – Introduction

This chapter explains the basic concept of single phase induction motor, its importance and common problem faced during operation. It also describes the need for motor protection system and the role IoT in developing smart monitoring and control systems.

### Chapter 2 – Literature Review

This chapter includes the study of previous research papers and existing technologies related to motor protection systems, IoT based monitoring systems and smart electrical protection methods. It helps in understanding the advantages and limitations of existing systems.

### Chapter 3 – System Methodology

This chapter explains the working principle of the proposed system. It describes how sensors measure motor parameters such as current, voltage and temperature. It also explains how microcontroller processes the data and sends it to IoT platform.

### Chapter 4 – Hardware and Software Description

This chapter provides details of components used in the project such as Arduino, sensors, relay module and IoT platform. It also explains software programming and communication between hardware and cloud platform.

#### Chapter 5 – Results and Discussion

This chapter presents the output results of the system. It explains how the system monitors motor parameters in real time and protects motor during fault conditions. The performance and accuracy of the system are also discussed.

#### Chapter 6 – Conclusion and Future Scope

This chapter concludes the overall project and explains the advantages of IoT based motor protection system. It also suggests future improvements such as mobile notification, advanced fault detection and integration with smart automation systems.

Overall, this thesis provides a complete study of IoT based protection and control system for single phase induction motor and demonstrates how modern technology can improve electrical system safety and reliability.

## II. METHODOLOGY

The methodology of the 1 Phase Induction Motor Protection and Control System using IoT explains the step by step procedure used to design, develop and implement the smart motor protection system. The main objective of the methodology is to monitor motor parameters continuously, detect abnormal conditions and protect the motor automatically using IoT technology.

First, the important electrical parameters of the single phase induction motor such as voltage, current and temperature are identified for monitoring. These parameters help in detecting faults like overload, overcurrent, overheating and voltage fluctuation. Suitable sensors are selected to measure these parameters. A current sensor (ACS712) is used to measure motor current, a voltage sensor module is used to measure supply voltage and a temperature sensor (LM35) is used to monitor motor heating condition.

All sensors are connected to a microcontroller such as Arduino or ESP32, which acts as the brain of the system. The microcontroller continuously reads the analog values from sensors and converts them into digital values. These values are compared with predefined safe limits stored in the program.

If the motor operates under normal conditions, the microcontroller allows the motor to run continuously and sends

real time data to IoT cloud platform such as Blynk or ThingSpeak through WiFi module. The user can view motor parameters like voltage, current and temperature using mobile phone or computer.

If any abnormal condition occurs, such as:

- Current value greater than safe limit (overload condition)
- Temperature value greater than safe limit (overheating condition)
- Voltage value higher or lower than normal range the microcontroller immediately sends signal to relay module. The relay disconnects the power supply of the motor and protects it from damage.

The IoT platform stores the data and displays it in graphical form, which helps the user to analyze motor performance. The system also allows remote control of motor ON/OFF using mobile application.

The methodology ensures continuous monitoring, automatic protection and remote control of motor. This improves motor safety, increases efficiency and reduces maintenance cost. The proposed system is simple, cost effective and suitable for domestic, agricultural and industrial applications.

## III. ALGORITHM

The algorithm of the 1 Phase Induction Motor Protection and Control System using IoT describes the step-by-step procedure used to monitor motor parameters, detect fault conditions and protect the motor automatically.

- Step 1: Start the system
- Step 2: Initialize microcontroller (Arduino / ESP32)
- Step 3: Connect IoT platform (Wi-Fi connection setup)
- Step 4: Initialize sensors (current sensor, voltage sensor, temperature sensor)
- Step 5: Read voltage value from voltage sensor
- Step 6: Read current value from current sensor
- Step 7: Read temperature value from temperature sensor
- Step 8: Display sensor values on IoT platform (Blynk / ThingSpeak)
- Step 9: Compare sensor values with predefined safe limits
- Step 10: Check fault conditions
  - If current value > safe limit → overload condition
  - If temperature value > safe limit → overheating condition
  - If voltage value out of range → voltage fault
- Step 11: If any fault condition occurs → turn OFF relay
- Step 12: Disconnect power supply to motor

- Step 13: Send fault alert to IoT platform
- Step 14: If all values are normal → keep motor ON
- Step 15: Allow user to control motor ON/OFF remotely using IoT app
- Step 16: Repeat monitoring process continuously
- Step 17: Stop system (if required)

This algorithm ensures continuous monitoring, automatic protection and remote control of the motor, improving safety and reliability of the system

#### IV. RESULTS

The 1 Phase Induction Motor Protection and Control System using IoT was successfully designed and tested to monitor and protect the motor from different fault conditions. The system continuously measures important parameters such as voltage, current and temperature using sensors connected to the microcontroller. The measured values are transmitted to the IoT cloud platform through Wi-Fi module, allowing real time monitoring using mobile phone or computer.

During testing, the system was able to detect abnormal conditions such as overload, overcurrent and overheating of the motor. When the current value exceeded the predefined safe limit, the microcontroller automatically activated the relay module to disconnect the power supply. This prevented damage to the motor and improved system safety. Similarly, when the motor temperature increased beyond the safe value, the relay automatically turned OFF the motor to avoid insulation failure and overheating damage.

The IoT platform such as Blynk or ThingSpeak successfully displayed real time data in the form of digital values and graphs. The user was able to monitor motor performance remotely and control motor ON/OFF using mobile application. The system responded quickly to fault conditions and provided reliable protection.

The experimental results show that the proposed system improves motor safety, reduces manual monitoring effort and increases reliability of motor operation. The system is cost effective and suitable for domestic, agricultural and industrial applications where continuous monitoring and protection of motor is required.

#### V. APPLICATIONS

The 1 Phase Induction Motor Protection and Control System using IoT can be used in many areas where single phase motors

are commonly used. The system provides safety, monitoring and remote control features, making it useful for domestic, agricultural and industrial applications.

##### 1. Water Pump Motor Protection

The system can be used to protect water pump motors from overload and overheating. It is very useful in homes, buildings and agricultural fields where water pumps run for long duration.

##### 2. Agricultural Irrigation Systems

Farmers can monitor and control irrigation motors remotely using mobile phone. The system protects the motor from damage caused by voltage fluctuation or overload.

##### 3. Industrial Motor Monitoring

In small industries, single phase motors are used in machines such as compressors, drills and conveyors. The system helps in monitoring motor condition and prevents sudden failure.

##### 4. Home Appliances Protection

The system can be used in home appliances such as air coolers, washing machines and fans to monitor performance and prevent motor damage.

##### 5. Smart Home Automation

IoT based motor control system can be integrated with smart home automation systems to control electrical devices remotely.

##### 6. Small Workshops and Machinery

Single phase motors used in small workshops can be protected using this system to improve machine life and reduce maintenance cost.

##### 7. Educational and Research Projects

The project can be used for learning IoT applications in electrical engineering and automation systems.

##### 8. Energy Management Systems

The system helps in monitoring motor performance and detecting abnormal power consumption, which helps in energy saving.

Overall, the system is useful wherever single phase induction motors are used and protection, monitoring and remote control are required.

## VI. CONCLUSION

The 1 Phase Induction Motor Protection and Control System using IoT provides an effective and reliable solution for monitoring and protecting single phase induction motors from various electrical faults. In this project, important motor parameters such as voltage, current and temperature are continuously monitored using sensors. The sensor data is processed using a microcontroller such as Arduino, ESP32 and transmitted to the IoT cloud platform through Wi-Fi technology.

The system successfully detects abnormal conditions such as overload, overcurrent, overheating and voltage fluctuation. When any parameter exceeds the predefined safe limit, the relay module automatically disconnects the motor supply, preventing damage to the motor winding and improving safety. The IoT platform allows real time monitoring of motor performance using mobile phone or computer, which reduces the need for manual inspection.

The project improves the efficiency, reliability and life span of the motor by providing continuous monitoring and automatic protection. The remote control feature allows the user to switch the motor ON or OFF from any location, making the system more convenient and user friendly. The overall system is cost effective, easy to implement and suitable for domestic, agricultural and small industrial applications.

In future, the system can be further improved by adding features such as SMS alerts, mobile notifications, automatic fault diagnosis, data storage and integration with advanced automation systems. This project demonstrates the practical application of IoT technology in electrical engineering and highlights the importance of smart protection systems for improving equipment safety and performance.

## REFERENCES

1. Tasveer B. Prajapati, Prof. Himanshu A. Patel, Prof. Tejas V. Bhatt, "Respiratory Signal Processing & Monitoring in LabVIEW Platform Using Arduino & Sensor DAQ," International Journal of Creative Research Thoughts (IJCRT), May 2020.
2. Asmita Parve Mokal, Dr. M. J. Sheikh, Bipin D. Mokal, "Design, Analysis and Implementation of Spirometer," International Research Journal of Engineering and Technology (IRJET), April 2019.
3. Mohan Lal Sahu, Jigyasu Kumar Kaushal,

"Real-Time Health Monitoring System Using Arduino and LabVIEW with GSM Technology," International Journal of Advance Engineering and Research Development, ISNCEsr 2017, March 2017.

4. Mohanraj T., Kishore Raj S. N., "Patient Monitoring System Using LabVIEW," International Journal of Emerging Technology in Computer Science & Electronics (IJETCSE), ISSN: 0976-1353, Volume 24, Issue 4, March 2017.

## AUTHORS:

Mr. Saurabh Saxena is currently working as an Assistant Professor of Electrical Engineering at Moradabad Institute of Technology, Moradabad, India. He has acquired an experience of 18 years in the teaching sector and is constantly contributing towards the success of Electrical Engineering Department in Moradabad Institute of Technology.



Dr. Rajul K. Misra is currently working as the Professor & Head of the Electrical Engineering Department at Moradabad Institute of Technology, Moradabad, India. He has acquired an experience of 27 years in the teaching sector and is currently leading the Electrical Engineering Department in Moradabad Institute of Technology to new heights.



Ritik Saini is a B.Tech 4th Year Student in Electrical Engineering Department of Moradabad Institute of Technology affiliated with Dr. A.P.J. Abdul Kalam Technical University. His research interests include Power System, Power Electronics, and IoT.



Shuaib ali is a B.Tech 4th Year Student in Electrical Engineering Department of Moradabad Institute of Technology affiliated with Dr. A.P.J. Abdul Kalam Technical University. His research interests include Control Systems, Power System and IoT.



Waseem is a B.Tech 4th Year Student in Electrical Engineering Department of Moradabad Institute of Technology affiliated with Dr. A.P.J. Abdul Kalam Technical University. His research interests include Power Electronics, Power System Protection and IoT.

